

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Information on the product / trade name:

**Elektrolyte Greinox Rapid**

for Surface treatment  
only for industrial use

REACH Registration Number:

A registration number for this substance is not available as the substance or its use is exempted from registration under Article 2 of REACH Regulation (EC) No 1907/2006, which does not require registration or is planned for a later date.

Information on the manufacturer / supplier:

**Kai Greising e. K. Clean Marker**  
**Industriestraße 29/2**  
**73340 Amstetten**  
**Germany**  
**phone: 0049-7331-3058-0**  
**fax: 0049-7331-981722**

Emergency phone number

**Poison emergency center Freiburg**  
**phone: 0049-761-19240**

### SECTION 2: Hazards identification:

#### 2.1 Classification of the substance or mixture

Classification according REGULATION (EC) No 1272/2008 (CLP)

Classification acc. to GHS

Section	Hazard class	Hazard class and category	Hazard statement
2.16	substance or mixture corrosive to metals	(Met. Corr. 1)	H290
3.2	skin corrosion/irritation	(Skin Corr. 1A)	H314
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318

#### Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

#### 2.2 Label elements

Labelling REGULATION (EC) No 1272/2008 (CLP)

Hazard pictograms



Signal word

Danger

Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

##### Precautionary statements - prevention

P234 Keep only in original container.

P260 Do not breathe vapor / spray / mist.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

##### Precautionary statements - response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. DO NOT induce vomiting.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

P303+P361+P353 IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 Upon exposure or if affected:  
Call a POISON CENTER or doctor.

### Precautionary statements - response

P390 Absorb spillage to prevent material damage.

### Precautionary statements - storage

P406 Store in corrosive resistant container with a resistant inner liner

### 2.3 Other hazards

During the electrochemical process, electrolyte vapors may form

## SECTION 3: Composition/information on ingredients

Chemical nature: Aqueous solution

### 3.1 Substance

Not applicable

### 3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Specific Conc. Limits
Sulphuric acid	CAS No 7664-93-9  EC No 231-639-5  Index No 016-020-00-8  REACH Reg. No 01-2119458838- 20-xxxx	15 – <51	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318		Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %

PBT/vPvB: Not applicable for inorganic substances

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

### Following ingestion

Rinse mouth immediately and drink plenty of water (2 glas). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Gastrointestinal complaints, Cough, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Vomiting, Dyspnoea

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Not combustible.

May produce toxic fumes of carbon monoxide if burning

### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Advice for non-emergency personnel

Special danger of slipping by leaking/spilling product. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

Advice for emergency responders: Protective equipment see section 8.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

### 6.3 Methods and materials for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

When diluting/dissolving, always have the water ready first, then slowly stir in the product. Handle and open container with care.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

##### • Ventilation requirements

Use local and general ventilation.

##### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
EU	sulfuric acid	7664-93-9	t, mist	IOELV		0,05			2017/2398/EU
GB	sulfuric acid	7664-93-9	t, mist	WEL		0,05			EH40/2005

#### Notation

mist As mists

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

t Thoracic fraction

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### Relevant DNELs/DMELs/PNECs and other threshold levels

- relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sulphuric acid	7664-93-9	DNEL	0,1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Sulphuric acid	7664-93-9	DNEL	0,05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects

- relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Sulphuric acid	7664-93-9	PNEC	0,0025 mg/l	freshwater	short-term (single instance)
Sulphuric acid	7664-93-9	PNEC	0,00025 mg/l	marine water	short-term (single instance)
Sulphuric acid	7664-93-9	PNEC	8,8 mg/l	sewage treatment plant (STP)	short-term (single instance)
Sulphuric acid	7664-93-9	PNEC	0,002 mg/kg	freshwater sediment	short-term (single instance)
Sulphuric acid	7664-93-9	PNEC	0,002 mg/kg	marine sediment	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



- **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- **type of material**

FKM: fluoro-elastomer

- **material thickness**

>0,7 mm

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### Respiratory protection

Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

Respiratory protection necessary at: Aerosol or mist formation.

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Respiratory protection necessary at: Aerosol or mist formation.

### Environmental exposure controls

Keep away from drains, surface and ground water.

---

## **SECTION 9: Physical and chemical properties**

Form	liquid
Colour	red
Odour	odourless
Odour Threshold	Not applicable
pH	<1
Melting point	0°C
Boiling point	112°C
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	~ 1,132 - 1147 g/cm <sup>3</sup> at 20°
Relative density	No information available.
Water solubility	soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

### 9.2 Other data

Corrosion May be corrosive to metals.

---

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

substance or mixture corrosive to metals, strong oxidisers

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Carbide, Alkaline earth metal, Peroxides, Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>), Perchlorates, Ammonia (NH<sub>3</sub>), Metals, Organic substances

### 10.4 Conditions to avoid

no information available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### 10.5 Incompatible materials

Aluminium, iron/iron-containing compounds, Mild steel

### 10.6 Hazardous decomposition products

in the event of fire: See section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Classification according to GHS (1272/2008/EC, CLP) Acute toxicity

Shall not be classified as acutely toxic.

#### • Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Sulphuric acid	7664-93-9	oral	LD50	2.140 mg / kg	rat
Sulphuric acid	7664-93-9	Inhalativ: dust/mist	LC50	0,85 mg / l/4h	mouse

#### Skin corrosion/irritation

Causes severe burns.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

#### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects), Spasms

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

data are not available

#### • If on skin

causes severe burns, causes poorly healing wounds

### 11.2 Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

## SECTION 12: Ecological information

### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### Aquatic toxicity (acute)

#### Aquatic toxicity (acute) of components of the mixture.

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sulphuric acid	7664-93-9	EC50	>100 mg/l	aquatic invertebrates	48 hours
Sulphuric acid	7664-93-9	ErC50	>100 mg/l	alga (Desmodesmus subspicatus)	72 hours

### 12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

---

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### **Sewage disposal-relevant information**

Do not empty into drains.

#### **Waste treatment of containers/packaging**

It is a dangerous waste; only packaging which are approved (e.g. acc. to ADR) may be used.

#### **Sewage disposal-relevant information**

Do not empty into drains.

#### **Waste treatment of containers/packagings**

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions

---

## **SECTION 14: Transport information**

14.1 UN number

3264

14.2 UN proper shipping name

**CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.**

Hazardous ingredients

Sulphuric acid



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### 14.3 Transport hazard class(es)



Class 8 (corrosive substances)

### 14.4 Packing group

II (substance presenting low danger)

### 14.5 Environmental hazards

none (non-environmentally hazardous acc. to the dangerous goods regulations)

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 3264  
Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Particulars in the transport document UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (Sulphuric acid, solution), 8, II, (E)  
Class 8  
Classification code C1  
Packing group II  
Danger label(s) 8



Special provisions (SP) ---  
Excepted quantities (EQ) E2  
Limited quantities (LQ) 1 L  
Transport category (TC) 2  
Tunnel restriction code (TRC) E  
Hazard identification No 80  
**Emergency Action Code 2R**

#### • Transport of dangerous goods by air transport ICAO-TI und IATA-DGR:

UN number 3264  
Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Particulars in the transport document UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Sulphuric acid), 8, II  
Class 8  
Packing group II  
Danger label(s) 8



Special provisions (SP) ---  
Excepted quantities (EQ) E2  
Limited quantities (LQ) 0,5 L

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

### • International Maritime Dangerous Goods Code (IMDG)

UN number	3264
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Sulphuric acid), 8, III
Class	8
Marine pollutant	-
Packing group	II
Danger label(s)	8



Special provisions (SP)	---
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	B
Segregation group	1 - Acids

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**  
None of the ingredients are listed.
- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**  
None of the ingredients are listed.
- **Regulation 850/2004/EC on persistent organic pollutants (POP)**  
None of the ingredients are listed.
- **Restrictions according to REACH, Annex XVII**

Name of substance	CAS No	Wt%	Type of registration	No
Sulphuric acid		4,9	1907/2006/EC annex	3

- **List of substances subject to authorization (REACH, Annex XIV)**  
None of the ingredients are listed.
- **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper requirements	Notes
	not assigned		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 0 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 0 %

### **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

None of the ingredients are listed.

### **Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

None of the ingredients are listed.

### **Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

None of the ingredients are listed.

### **National inventories**

Country	National inventories	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

### **Legend**

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

TSCA Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
<b>2017/2398/EC</b>	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
<b>ADN</b>	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
<b>ADR</b>	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
<b>CAS</b>	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
<b>CLP</b>	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
<b>CMR</b>	Carcinogenic, Mutagenic or toxic for Reproduction
<b>DMEL</b>	Derived Minimal Effect Level
<b>DNEL</b>	Derived No-Effect Level
<b>EC No</b>	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
<b>EH40/2005</b>	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
<b>ELINCS</b>	European List of Notified Chemical Substances
<b>EmS</b>	Emergency Schedule
<b>Eye Dam.</b>	seriously damaging to the eye
<b>Eye Irrit.</b>	irritant to the eye
<b>GHS</b>	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
<b>IATA</b>	International Air Transport Association
<b>IATA/DGR</b>	Dangerous Goods Regulations (DGR) for the air transport (IATA)
<b>ICAO</b>	International Civil Aviation Organization
<b>IMDG</b>	International Maritime Dangerous Goods Code
<b>index No</b>	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Elektrolyte Greinox Rapid

Abbr.	Descriptions of used abbreviations
IOELV	indicative occupational exposure limit value
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
Met. Corr.	corrosive to metals
NLP	No-Longer Polymer
ppm	parts per million
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	may be corrosive to metals
H314	causes severe skin burns and eye damage
H318	causes serious eye damage

Training advice

Provide adequate information, instruction and training for operators.

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. It does not represent a guarantee of any properties of the product